Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	31	RAEBIGER-J-:in: RAEBIGER-JAN in: HOLFELD-Ain: HOLFELD-ANDREin:	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:02
S2	16	(("20020180986") or ("20030003607") or ("6514871") or ("5939130") or ("5926690") or ("6004047") or ("6072191") or ("6221787")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/07/22 13:10
S3	1	de-10051380-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:12
S4	13320	arc! near2 (layer coating film material)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:12
S5	43930	antireflective antireflection anti-reflective anti-reflection anti adj (reflective reflection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:36
S6	54084	S4 S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:14
S 7	841639	resist photoresist photo-resist photosensitive photo-sensitive (sensitive near (photo light energy radiation)) photocur\$5 photo-cur\$5 photo near cur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 13:45
S8	674	S7 near3 trim\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 14:27
S9	80985	S7 near3 etch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:00

			· · · · · ·			
S10	. 27	S6 with S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:07
S11	28	oarc!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:06
S12 .	1602	barc!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:08
S13	7	obarc!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:08
S14	12	(S11 S12 S13) with S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:09
S15	1976	(S8 S9) with S7 with control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:35
S16	70	(S8) with S7 with control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:12
S17	37	S16 and (S6 S11 S12 S13)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 16:18
S18	15229337	n k reflectivity (index near2 (reflection refraction)) extinction near coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 16:38
S19	3859578	property characteristic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:37

S20	105853	S19 near optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 15:38
S21	175	S15 same (S6 S11 S12 S13 S18 S20)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 16:00
S22	14375	overetch\$3 over-etch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 16:14
S23	220247	trim\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 16:15
S24	17721	(S22 S23) with control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 16:16
S25	43	S24 same (S6 S11 S12 S13)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/07/22 16:59